

arrowtrading home

Arrow Trading

Hurricane WB410-7000 Waterborne Spraybooth

[Call for Pricing](#)

Hurricane is rapidly becoming one of the most popular spraybooths in Southern Africa, because of the quality, value for money and excellent after service.

The Hurricane Spraybooths have been awarded European Approval (EU) ISO9001 and is compliant with all makes of vehicles.

The Hurricane Spraybooth is internationally approved by most of the worlds top manufacturers.

The WB410-7000 Hurricane Waterborne Spraybooth is fully equipped with an integrated waterborne drying system as well as a Riello based diesel burner drying system.

The Siemens Electronic Auto Control Panel Provides:

- * **Warning lamp**
- * **Spray paint only mode**
- * **Spray paint and bake mode**
- * **Bake mode only**
- * **Pressure Gauge**
- * **Timer Switch**
- * **Hour Meter**
- * **Emergency Stop**
- * **Failure Alarm**
- * **Temperature Controller**

General Information

Basement is galvanised steel 300mm high

Main door has 4 folds 2 large and 2 small size is 3000mm(W) x 2550mm(H)

Wall panel thickness id 50mm

8 ceiling lights, 4 x 58w bulbs per light

5 side lights 4 x 36w bulbs per light

intake and exhaust system is powered by 7.5kw motors and turbo fans

Air capacity is 25000m3 per Hour

Waterborne paint system is powered by 2 x 0.28kw fans providing 4000m3 of air per hour

Total Power consumption 18kw

ï¿½ï¿½ï¿½type=image,ypos=60,width=88.194444444444,height=58.208333333333ï¿½ï¿½ï¿½q 250.00 0 0
165.00 28.35 648.54 cm /l2 Do Q

Technical Data

External Size : 7100mm x 4100mm x 3450mm

Internal Size: 7000mm x 4000mm x 2650mm

Door Size: 3000mm x 2550mm

Airflow Volume: 20000 m3/hour

Internal Airflow Velocity : 0.3 m/s

Air Replacement Frequency : 268 times/hour

Temperature : 60-80 Degrees Celsius

Oil Consumption : 5-6

Power Consumption : 12.5 kW

Power Supply: 380V 50hz 3-phase

[Vendor Information](#)