

**arrowtrading home**

*Arrow Trading*

## **Hurricane WB410 Waterborne 8m Spraybooth**

[Call for Pricing](#)

The WB410-8000 is rapidly becoming one of the most popular spraybooths in Southern Africa, because of the quality, value for money and excellent after service.

Our Â Spraybooths have been awarded European Approval (EU) ISO9001 and is compliant with all makes of vehicles.

Our Â Spraybooths are Â internationally approved by most of the worlds top manufacturers.

The WB410-8000 Waterborne Spraybooth is fully equipped with an integrated waterborne drying system as well as a Riello based diesel burner drying system.

The Siemens Electronic Auto Control Panel Provides:-

- \* Warning lamp
- \* Spray paint only mode
- \* Spray paint and bake mode
- \* Bake mode only
- \* Pressure Gauge
- \* Timer Switch
- \* Hour Meter
- \* Emergency Stop
- \* Temperature Controller

### **General Information**

**Basement is galvanised steel 300mm high**

**Main door has 4 folds 2 large and 2 small size is 3000mm(W) x 2550mm(H)**

**Wall panel thickness id 50mm**

**10 ceiling lights, 4 x 36w bulbs per light**

**10 side lights 4 x 36w bulbs per light**

**intake and exhaust system is powered by 7.5kw motors and turbo fans**

**Air capacity is 25000m3 per Hour**

**Waterborne paint system is powered by 2 x 0.28kw fans providing 4000m3 of air per hour**

**Total Power consumption 18kw**

ï¿½ï¿½ï¿½type=image,ypos=40,width=35.277777777778,height=35.277777777778ï¿½ï¿½ï¿½q 100.00 0 0

100.00 28.35 713.54 cm /l2 Do Q

**Technical Data**

**External Size: 8100mm x 5550mm x 4300mm**

**Internal Size : 8000mm x 4000mm x 3500mm**

**Door Size : 3000mm x 3400mm**

**Airflow Volume : 25000 m3/hour**

**Internal Airflow Velocity : 0.3 m/s**

**Air Replacement Frequency : 268 times/hour**

**Temperature: 60-80 Degrees Celsius**

**Oil Consumption : 5-6**

**Power Consumption : 18 kW**

**Power Supply : 380V 50hz 3-phase**

[Vendor Information](#)